

IN THE CLAIMS

Claim 1 (original): A two-pack curable composition comprising plastisol liquid A which compounds a thermoplastic resin and a plasticizer, and liquid B which compounds a gelling agent, wherein said composition gels at room temperature on mixing liquid A and liquid B.

Claim 2 (original): The two-pack curable composition according to claim 1, wherein liquid B compounds a component which dissolves or swells the thermoplastic resin in liquid A.

Claim 3 (currently amended): The two-pack curable composition according to claim 1 ~~or 2~~, wherein liquid B compounds a gelling agent selected from the group consisting of plasticizers, high-boiling solvents, organic solvents and monomers of thermoplastic resins.

Claim 4 (currently amended): The two-pack curable composition according to ~~any one of claims 1 to 3~~ claim 1, wherein the thermoplastic resin is an acrylic resin.

Claim 5 (currently amended): The two-pack curable composition according to ~~any one of claims 1 to 4~~ claim 1, wherein the gelling agent is selected from the group consisting of (meth)acrylate monomers and benzoate plasticizers.

Claim 6 (currently amended): The two-pack curable composition according to ~~any one of claims 1 to 5~~ claim 1, wherein the gelling agent is a (meth)acrylate monomer or a mixture of a (meth)acrylate monomer and a benzoate plasticizer.

Claim 7 (currently amended): The two-pack curable composition according to ~~any one of claims 1 to 6~~ claim 1, which further

comprises a thermosetting resin and a latent curing agent thereof.

Claim 8 (original): The two-pack curable composition according to claim 7, wherein the thermosetting resin is an epoxy resin.

Claim 9 (currently amended): The two-pack curable composition according to ~~any one of claims 1 to 8~~ claim 1, which is a two-pack curable composition used in an automobile manufacturing line.

Claim 10 (currently amended): The two-pack curable composition according to ~~any one of claims 1 to 9~~ claim 1, wherein a gelling time of the mixture of liquids A and B is from 30 seconds to 60 minutes at room temperature after mixing.

Claim 11 (currently amended): The two-pack curable composition according to ~~any one of claims 1 to 10~~ claim 1, wherein the mixture of liquids A and B has a sprayable viscosity, and gels within a period of time from 30 seconds to 60 minutes at room temperature after application.

Claim 12 (currently amended): The two-pack curable composition according to ~~any one of claims 1 to 11~~ claim 1, which compounds 50 to 150 parts by weight of the gelling agent per 100 parts by weight of the thermoplastic resin.

Claim 13 (currently amended): The two-pack curable composition according to ~~any one of claims 1 to 12~~ claim 1, the mixture of liquids A and B has a viscosity of 50 to 200 Pa.s (at 20°C).

Claim 14 (currently amended): A process for sealing automobile body parts comprising the steps of applying, as a body or seam sealer, a two-pack curable composition according ~~any one of claims 1 to 13~~ to claim 1 to automobile body parts assembled by

spot-welding the parts which have been press molded in a body-welding step of an automobile manufacturing line and then passing them in a coating step and an assembling step while the composition is in a gelled state.

Claim 15 (currently amended): A process for coating an automobile body part comprising the steps of applying, as an underbody coating, a two-pack curable composition according ~~any one of claims 1 to 13~~ to claim 1 to the automobile body parts assembled by spot-welding the parts which have been press molded in a body-welding step of an automobile manufacturing line and then passing them in a coating step and an assembling step while the composition is in a gelled state.

Claim 16 (currently amended): A process for bonding automobile body parts comprising the steps of applying, as an adhesive, a two-pack curable composition according ~~any one of claims 1 to 13~~ to claim 1 to the automobile body parts which have been press molded in a body-welding step of an automobile manufacturing line and gelling the composition, whereby the deformation of the adhesive is prevented in subsequent treating steps.